



TIMBER WINDOWS AND DOORS

buy and win a prize!

What distinguishes our wooden windows and doors?



Wood is impregnated before profiles are jointed.

This is why our window corner joints are resistant to deterioration.



Each timber window has a robust aluminum drip edge applied to frame and sash.

Drip edges not only look beautiful but also effectively protect our windows and doors from destructive effects of water.



We use the highest quality Maco Multimatic multi-point locking hardware.

Microventilation, an anti-draught latch, an incorrect handle position lock and self-adjusting mushroom type locking points are our standard.



Our window profiles are made of laminated timber. As a result your new window will not deform and will not lose its insulation properties.



Certified sources of raw materials. Wood profiles are obtained only from certified raw material sources. By buying our products you do not contribute to adverse climate change and you can be sure of their high quality.





What distinguishes our company?

We guarantee sale service in your native language. Our sales representative will guide you through the entire sales process: from quotation, through order and transport details. We will also be available after the purchase of goods - after-sales service is a priority for us

We take care of every detail. The proper process of storage, handling and transport is supervised by qualified staff controlling and supervising the quality of orders, so that the final customer receives goods in accordance with their order.

Do not overpay. When negotiating terms and conditions with the manufacturer, as a Polish company, we get very competitive prices, which translates into better prices for our customers.

In our offer included are:

BOX SASH

spring operated or cord and weight operated
installation depth 166 mm
various opening options
dedicated to English markets
smooth, elegant finish

springs
or
weights



CASEMENT

open to the outside
installation depth 94 mm
flush profile - leaf and frame in one line
dedicated to English markets
aesthetics and safety

outward
opening



CASEMENT + ALU

open to the outside
installation depth 94 mm
with aluminium cladding
dedicated to English markets
weather protection

aluminium
cladding



In our offer included are:

TILT & TURN 68

double glazing
profile depth of 68 mm
frame and sash drip edges with gasket
dedicated to flats, apartments and houses
gentle, delicate finishing details

Uw
1,3
W/m²K



TILT & TURN 78

triple glazing
profile depth of 78 mm
frame and sash drip edges with gasket
dedicated to passive housing
robust and durable built

Uw
0,98
W/m²K



TILT & TURN 92

triple glazing
profile depth of 92 mm
frame and sash drip edges with gasket
created for energy-efficient houses
best parameters, including heat transfer coefficient

Uw
0,77
W/m²K



Get involved in our contest!



Conditions:

Value of turnover, above 45,000 € (net, without transport), is calculated on the basis of invoices issued from 11.03.2019. by 30.09.2019.

All Invoices must be paid by 30.09.2019.

Customer wishing to enter the competition must not have any overdue invoices.
Only one prize can be collected by one customer.